

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Electisch. 10025074C7

Calm Oil

Sample ID: G4C0240-03

Matrix: Hemp Products

Test ID: 5027126 Source ID:

Date Sampled: 03/15/24

Date Accepted: 03/15/24

Wild Herb Botanicals

info@wildherbcbd.com

Results at a Glance

Total THC: <LOQ (0.0039%) %

Total CBD: 3.912 %



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Calm Oil

Sample ID: G4C0240-03

Matrix: Hemp Products

Test ID: 5027126

Source ID:

Date Sampled: 03/15/24

Date Accepted: 03/15/24

Wild Herb Botanicals

info@wildherbcbd.com

Potency Analysis

Analysis Method/SOP: 215 Batch Identification: 2412024 Date/Time Extracted: 03/19/24 12:00 **Cannabinoids Profile** Cannabinoids LOQ (%) mg/g **Total THC** 0.0039 < LOQ Total CBD 0.0039 39.12 0.2 THCA 0.0039 < LOQ 0.2 delta 9-THC 0.0039 < LOQ delta 8-THC 0.1513 < LOQ THCV 0.1181 < LOQ **THCVA** 0.1768 < LOQ CBD 0.0039 37.67 **CBDA** 0.0039 1.653 CBDA 0.2 **CBDV** 0.1215 < LOQ CBD 3.8 CBC 0.2 **CBDVA** 0.1669 < LOQ Total: 4.1 < LOQ CBN 0.1091 CBG 0.1269 < LOQ 3.8 CBGA 0.1683 < LOQ CBC 0.1592 1.657

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Much Hunh



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2412024 - 215-Products

Blank(2412024-BLK1)								
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	< LOQ	0.0035	%		03/19/24 12:00	03/19/24 20:45		
delta 9-THC	< LOQ	0.0035	%		03/19/24 12:00	03/19/24 20:45		
delta 8-THC	< LOQ	0.1339	%		03/19/24 12:00	03/19/24 20:45		
THCV	< LOQ	0.1045	%		03/19/24 12:00	03/19/24 20:45		
THCVA	< LOQ	0.1564	%		03/19/24 12:00	03/19/24 20:45		
CBD	< LOQ	0.0035	%		03/19/24 12:00	03/19/24 20:45		
CBDA	< LOQ	0.0035	%		03/19/24 12:00	03/19/24 20:45		
CBDV	< LOQ	0.1075	%		03/19/24 12:00	03/19/24 20:45		
CBDVA	< LOQ	0.1477	%		03/19/24 12:00	03/19/24 20:45		
CBN	< LOQ	0.0966	%		03/19/24 12:00	03/19/24 20:45		
CBG	< LOQ	0.1123	%		03/19/24 12:00	03/19/24 20:45		
CBGA	< LOQ	0.1489	%		03/19/24 12:00	03/19/24 20:45		
CBC	< LOQ	0.1409	%		03/19/24 12:00	03/19/24 20:45		

Reference(2412024-SRM1)								
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	98.1	0.0255	%	90-110	03/19/24 12:00	03/19/24 21:08		
delta 9-THC	96.8	0.0255	%	90-110	03/19/24 12:00	03/19/24 21:08		
delta 8-THC	93.1	0.9795	%	90-110	03/19/24 12:00	03/19/24 21:08		
CBD	93.8	0.0255	%	90-110	03/19/24 12:00	03/19/24 21:08		
CBDA	109	0.0255	%	90-110	03/19/24 12:00	03/19/24 21:08		



Sharker Hunker



503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.

Results do not include uncertainty of measurements. Available upon request.

ATM BLI BLK	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery. Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference

ACCREDITED LABORATORY

Much Hunter

manually for all samples.